COM SHOPED

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State E Returned to applicant for correction Corrected application filed MAY 28 1923	ngineer's officeAPR 28 1923 APR 30 1923
corrected application filed mat to Isaa	
The undersigned T.E.POLLOCK	
Ne	ame of applicant
of SEARCHLIGHT , Count	y of CLARK,
	hereby make 8 application for
permission to appropriate the public waters	of the State of Nevada, as
hereinafter stated. (If applicant is a cor	poration, give date and place
of incorporation.)	
1. The source of the proposed appropriatio	n is Water claim on what is
known as the Senta Barbara Mine, near Sear	Name of stream, lake, or other source
	cond-foot equals 40 miners' inches
3. The water to be used for Stock watering Irrigation, pow	rer, mining, manufacturing, domestic, or other use
4. The water is to be diverted from its so	urce at the following point:
S.W. 2 of S.W. 2 Sec. 29 T. 28 S. R. 63 E. M. Describe as being within a 40-acre subdivision of bublic survey, or by course and distance to a	D.B.& M. section-corner. If on unsurveyed land, it should be so stated.
	
IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPL	Y THE FOLLOWING INFORMATION:
(a) Number of acres to be irrigated is	
(b) Description of land to be irrigated	
Description of rank to be 1411gasta Description	cribe by legal subdivision, or if on unsurveyed land it should
be so stated and a description provided in accordance with special instruction from the S	tate Engineer when application is returned for correction.
<u> </u>	
	and and about
(c) Irrigation will begin about	and end about
, of each year.	
Month	
IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORT	FATION, OR OTHER USE, SUPPLY THE ON:
(d) Power to be developed is	horsepower.
(e) Works to be located S.W. 2 of S.W. 2 Sec	29 T.28 S.R.63 E.M.D.B.&M.
Give 40-acre subdivision on which works will be located, of locate 27 o	
(f) Point of return of water to stream	100 3 3×5 100 100 100 100 100 100 100 100 100 10
(f) Point of return of water to stream	Describe in same manner as point of diversion.
(g) Remarks Approximately 1000 head of st	ock cattle

DESCRIPTION OF PROPOSED WORKS

trough on the same 40 acres as described	^
is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.	Ī
	-
	į.
5. Estimated cost of works \$1290 OO	ì
6. Estimated time required to construct works 30 days	į.
7. Remarks cost consists of Windmill \$590 00 230 ft 4 " pipe	ļ
Formse of annihant 19 10 10 10 10 10 10 10 10 10 10 10 10 10	ŀ
\$15000 pump rods \$7500 2 tanks \$19000 one trough \$2500 labor \$30000	
T E Pollock , Applicant.	
By C. C. Fredrich	.
Compared P.P. Jones	-
This sheet inspected	
Engineer.	-
	ľ
DENIAL OF STATE ENGINEER	İ
	į.
This is to certify that I have examined the foregoing application,	ĺ
and do hereby grant the same, subject to the following limitations and	ĺ
conditions:	1
deny same on the ground that, after due notice	ĺ
given, applicant failed to pay the statutory fee for issuing a	
permit hereunder.	[
	; . [
	j.,
The amount of water to be appropriated shall be limited to the amount	Ì
which can be applied to beneficial use, and not to exceed	
which can be applied to beneficial use, and not to exceed	
which can be applied to beneficial use, and not to exceed cubic feet per second. Actual construction work shall begin on or before	
which can be applied to beneficial use, and not to exceed cubic feet per second. Actual construction work shall begin on or before	
which can be applied to beneficial use, and not to exceed cubic feet per second. Actual construction work shall begin on or before Proof of commencement of work shall be filed before Work must be prosecuted with reasonable diligence and be completed on or	
which can be applied to beneficial use, and not to exceed cubic feet per second. Actual construction work shall begin on or before	
which can be applied to beneficial use, and not to exceed cubic feet per second. Actual construction work shall begin on or before Proof of commencement of work shall be filed before Work must be prosecuted with reasonable diligence and be completed on or	
which can be applied to beneficial use, and not to exceed cubic feet per second. Actual construction work shall begin on or before Proof of commencement of work shall be filed before Work must be prosecuted with reasonable diligence and be completed on or before Proof of completion of work shall be filed before	
which can be applied to beneficial use, and not to exceed cubic feet per second. Actual construction work shall begin on or before	
which can be applied to beneficial use, and not to exceed cubic feet per second. Actual construction work shall begin on or before Proof of commencement of work shall be filed before Work must be prosecuted with reasonable diligence and be completed on or before Proof of completion of work shall be filed before	
which can be applied to beneficial use, and not to exceed cubic feet per second. Actual construction work shall begin on or before	
which can be applied to beneficial use, and not to exceed cubic feet per second. Actual construction work shall begin on or before Proof of commencement of work shall be filed before Work must be prosecuted with reasonable diligence and be completed on or before Proof of completion of work shall be filed before Application of water to beneficial use shall be made on or before Proof of the application of water to beneficial	
which can be applied to beneficial use, and not to exceed cubic feet per second. Actual construction work shall begin on or before	
which can be applied to beneficial use, and not to exceed cubic feet per second. Actual construction work shall begin on or before	
which can be applied to beneficial use, and not to exceed cubic feet per second. Actual construction work shall begin on or before	